



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A01N 59/00, A61L 2/18, C11D 3/48 // (A01N 59/00, 61:00, 59:00)	A1	(11) International Publication Number: WO 98/57544 (43) International Publication Date: 23 December 1998 (23.12.98)
(21) International Application Number: PCT/GB98/01599 (22) International Filing Date: 16 June 1998 (16.06.98) (30) Priority Data: 9712680.9 18 June 1997 (18.06.97) GB (71) Applicant (for all designated States except US): RECKITT & COLMAN PRODUCTS LIMITED [GB/GB]; 67 Alma Road, Windsor, Berkshire SL4 3HD (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): HARRISON, Neale, Mark [GB/GB]; 27 Cromwell Close, Tutbury, Burton on Trent, Staffordshire DE13 9HZ (GB). FOX, Rodney, Thomas [GB/GB]; 30 South Street, Cottingham HU16 4AS (GB). GOREHAM, Philip, William [GB/GB]; 24 Lancelot Court, Victoria Dock, Hull HU9 1QD (GB). THACKER, Simon [GB/GB]; 22 Monroe Close, Lambwath Road, Hull HU8 0AX (GB). (74) Agents: ILOTT, Elizabeth, Anne et al.; Reckitt & Colman plc, Group Patents Dept., Dansom Lane, Hull HU8 7DS (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: IMPROVEMENTS IN OR RELATING TO DISINFECTING MATERIALS		
(57) Abstract <p>The invention provides a system for disinfecting a germ carrying body which system comprises two components wherein the first component comprises a disinfectant precursor and the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant; wherein either component includes a substance which exhibits a colour change after a period of time has elapsed, subsequent to the application of the material to the body, which is at least as long as the time required for the material to disinfect the body.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Improvements in or relating to disinfecting materials

This invention relates to disinfecting materials and more particularly, but not exclusively, is concerned with toilet cleaners for disinfecting toilet bowls and
5 the like.

Toilet cleaners are purchased by customers with a view to killing germs in the toilet bowl and also removing limescale and other stains. Typically,
10 conventional toilet cleaners are based on sodium hypochlorite or hydrochloric acid and, although these are effective germ killers, they do not provide any indication that germs have been killed and hence the customers cannot readily perceive that the cleaners have fulfilled their purpose in this respect.
15

It is an object of the present invention to provide a material which will disinfect toilet bowls and other bodies whilst also providing an indication that it has carried out its germ killing function.

20 According to the present invention there is provided a system for disinfecting a germ carrying body which system comprises two components wherein

the first component comprises a disinfectant precursor and

25 the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant;

wherein either component includes a substance which exhibits a colour change after a period of time has elapsed, subsequent to the application of the material
30

- 2 -

to the body, which is at least as long as the time required for the material to disinfect the body.

5 Preferably, the substance exhibiting the colour change is a bleachable dye, particularly a dye which is bleachable by the disinfectant. The substance is preferably present in admixture with the first component.

10 Preferably the first component comprises the precursor in an amount of from 0.001 to 20 %, more preferably from 0.01 to 5 %, most preferably from 0.1 to 1 % by weight of the first component; the second component comprises the compound in an amount of from 0.001 to 20 %, more preferably from 0.01 to 5 %, most
15 preferably from 0.05 to 1 %, by volume of the second component; and one or more of the components comprises the substance in an amount of from 0.0001 to 2 %, more preferably from 0.001 to 0.5 %, most preferably from 0.01 to 0.1 %, by weight of the component(s) in which the substance is present.

20

Preferably each component is in the form of an aqueous solution. Optionally each component additionally comprises additives such as stabilisers, buffers, preservatives, viscosity modifiers, perfumes and/or surfactants.

25

Suitable dyes are as follows:-

C.I. Acid Blue 182, such as Sandolan Blue E-HRL supplied by Clariant;

30 C.I. Acid Blue 80, an anthraquinone dyestuff, such as Sandolan Milling Blue N-BL;

- 3 -

C.I. Reactive Blue 113, such as Drimarene Blue K3GL supplied by Clariant;

C.I. Reactive Blue 114 such as Drimarene Brilliant Blue K-BL;

5 Azo/copper complex dyestuffs such as Cartasol Blue GDF supplied by Clariant;

Anionic azo-dyes such as Cartasol Brilliant Violet 5BF.

10 A suitable bleaching agent which is formable from the two components is chlorine dioxide. In this case, a suitable precursor is an alkali metal chlorite, preferably sodium chlorite which, when admixed with an acid such as hydrochloric acid, sulphamic acid or citric acid (preferably hydrochloric acid is used), generates the chlorine dioxide.

15

According to a preferred embodiment of the invention the system is in the form of a container comprising:

a first compartment for said first component,

a second compartment for said second component,

20 a first outlet for egress of a stream of first component from said first compartment, and

a second outlet for egress of a stream of said second component from said second compartment, said outlets being arranged such that the streams impinge on one another and the first and second components become
25 admixed together when the components are poured from the container..

30 For a better understanding of the invention and to show how the same may be carried into effect, reference will now be made, by way of example, to the accompanying drawing which shows a schematic cross

- 4 -

section through a container in accordance with the invention.

Referring to the drawing, the container is a double container comprising a first compartment 1 and a second compartment 2. The compartments 1 and 2 have separate outlets 3 and 4 at the neck of the container and the container includes a common dividing wall 5 which extends beyond the outlets 3 and 4 to form a baffle 6. Both outlets 3 and 4 are sealed by a cap 7 threadingly connected to the neck of the container. Separate first and second components are accommodated in the first and second compartments 1 and 2 and are retained by the cap 7.

In use, the cap 7 is unscrewed and the container is tilted so that a stream of the first component leaves the first compartment 1 via the first outlet 3 and a stream of the second component leaves the second compartment 2 via the second outlet 4. The baffle 6 assists in causing these streams to intermingle and form a single stream of the mixed components.

The following Example illustrates the invention.

Example

A first component comprising an aqueous solution of sodium chlorite in an amount of 1% by weight of the first component and sufficient (0.02 % by weight) of the blue dye C.I. Acid Blue 182 to provide the first component with a blue colour was introduced into the first compartment 1 of a container as shown in the drawing. A second component comprising an aqueous colourless solution of hydrochloric acid in an amount

- 5 -

of 1% by volume of the second component was introduced into the second compartment 2 of the container.

5 On pouring some (about 20 ml which consisted of about 10 ml of each component) of the contents from the container into a toilet bowl, the streams of the first and second components intermingled to form a blue mixture prior to reaching the toilet bowl. The mixture reacted to form chlorine dioxide (ClO_2). This is an efficient germ killer and within 10 minutes it had
10 disinfected the toilet bowl. It is known from microbiological tests that 10 minutes is a sufficient period of time for this amount of ClO_2 to disinfect a toilet bowl.

15 Within 15 minutes of the mixing together of the first and second components, the blue mixture had become colourless as the chlorine dioxide had completely bleached the blue dye. Thus the user could readily perceive that the material had killed the germs in the toilet bowl.

20

25

30

- 6 -

CLAIMS

1. A system for disinfecting a germ carrying body which system comprises two components wherein the first component comprises a disinfectant precursor and
5 the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant;
wherein either component includes a substance which
10 exhibits a colour change after a period of time has elapsed, subsequent to the application of the material to the body, which is at least as long as the time required for the material to disinfect the body.
2. A system according to claim 1 wherein said
15 substance is a dye bleachable by the disinfectant.
3. A system according to claim 1 or claim 2 wherein the first component comprises the precursor in an amount of from 0.001 to 20 % by weight of the first
20 component, the second component comprises the compound in an amount of from 0.001 to 20 % by volume of the second component and one or more of the components comprises the substance in an amount of from 0.0001 to 2 %, by weight of the component(s) in which the substance is present.
25
4. A system according to any one of the preceding claims wherein the precursor is an alkali metal chlorite, the compound is an acid, the disinfectant is chlorine dioxide, the substance is a bleachable dye which is in admixture with the first component, and
30 each component is in the form of an aqueous solution.

- 7 -

5. A system according to any one of the preceding claims which is in the form of a container comprising:


- a first compartment for said first component,
- a second compartment for said second component,
- 5 a first outlet for egress of a stream of first component from said first compartment, and
- a second outlet for egress of a stream of said second component from said second compartment, said outlets being arranged such that the streams impinge on
- 10 one another and the first and second components become admixed together when the components are poured from the container.

6. A container according to claim 5 substantially as
15 hereinbefore described in the accompanying drawing.

20

25

30



INTERNATIONAL SEARCH REPORT

national Application No

PCT/GB 98/01599

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N59/00 A61L2/18 C11D3/48 //(A01N59/00,61:00,59:00)

According to International Patent Classification(IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N A61L C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 90 08558 A (TRANS DELTA CORP) 9 August 1990 see page 5, line 21 - line 34 see page 6, line 13 - page 7, line 10 see page 7, line 33 - page 8, line 4 see page 11, line 35 - page 12, line 20 see page 14, line 23 - page 15, line 22	1-3
Y	see claims 58-62,71 ---	4-6
Y	GB 2 159 716 A (SUN COLIN HOK LING) 11 December 1985 see page 1, line 6 - line 15 ---	4
Y	EP 0 081 017 A (ALCIDE CO LTD) 15 June 1983 see page 4, line 18 - page 8, line 4 see figures 1,3,5-7,10,11 see figures 12,13 ---	5,6
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

9 October 1998

Date of mailing of the international search report

22/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Lamers, W

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 98/01599

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	CHEMICAL ABSTRACTS, vol. 119, no. 26, 27 December 1993 Columbus, Ohio, US; abstract no. 273935, XP002080130 see abstract & JP 05 140590 A (MANABISU) 8 June 1993 ---	1-3
X	US 3 355 392 A (A.CANTOR) 28 November 1967 see column 1, line 11 - line 22 ---	1-3
X	US 4 362 639 A (EOGA ANTHONY B J) 7 December 1982 see column 2, line 6 - line 22 see column 5, line 45 - line 47 ---	1-3
X	GB 2 096 162 A (WARNER LAMBERT CO) 13 October 1982 see page 1, line 49 - line 56 see page 2, line 38 - line 41 ---	1-3
X	EP 0 334 060 A (RECKITT GMBH) 27 September 1989 see page 3, line 19 - line 23 ---	1-3
A	GB 2 288 979 A (WARWICK INT GROUP) 8 November 1995 see page 1, line 3 - line 9 see page 8, line 37 - page 9, line 15 ---	1-6
A	US 4 248 827 A (KITKO DAVID J) 3 February 1981 see column 2, line 5 - line 20 see column 3, line 34 - column 4, line 58 -----	1-6

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 98/01599

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9008558	A	09-08-1990	AU 4969990 A CA 2045687 A US 5389384 A	24-08-1990 28-07-1990 14-02-1995
GB 2159716	A	11-12-1985	NONE	
EP 0081017	A	15-06-1983	NONE	
US 3355392	A	28-11-1967	NONE	
US 4362639	A	07-12-1982	CA 1193167 A CA 1175751 A US 4409118 A US 4405486 A AU 553406 B AU 8219782 A AU 554063 B AU 8754582 A CA 1183752 A EP 0102418 A GB 2096162 A,B US 4499001 A ZA 8202235 A	10-09-1985 09-10-1984 11-10-1983 20-09-1983 17-07-1986 07-10-1982 07-08-1986 01-03-1984 12-03-1985 14-03-1984 13-10-1982 12-02-1985 25-05-1983
GB 2096162	A	13-10-1982	AU 553406 B AU 8219782 A AU 554063 B AU 8754582 A CA 1183752 A EP 0102418 A US 4362639 A US 4409118 A US 4499001 A ZA 8202235 A	17-07-1986 07-10-1982 07-08-1986 01-03-1984 12-03-1985 14-03-1984 07-12-1982 11-10-1983 12-02-1985 25-05-1983
EP 0334060	A	27-09-1989	DE 3812693 A AU 3132189 A CA 1329554 A DK 132489 A ES 2058362 T	28-09-1989 21-09-1989 17-05-1994 20-09-1989 01-11-1994

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 98/01599

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0334060 A		FI 891278 A,B IE 63791 B JP 2022217 A NO 174181 B PT 90035 A,B US 5015408 A DE 3931129 A	20-09-1989 14-06-1995 25-01-1990 20-12-1993 10-11-1989 14-05-1991 28-03-1991
GB 2288979 A	08-11-1995	NONE	
US 4248827 A	03-02-1981	CA 1118984 A US 4308625 A	02-03-1982 05-01-1982